

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”


IS 10731 (2000): Presses - Slide Holes for Locating the Shanks - Dimensions [PGD 4: Metal Forming Machines]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE



भारतीय मानक

प्रेसें — शैंक के अवस्थापन के स्लाइड छिद्र — आयाम
(पहला पुनरीक्षण)

Indian Standard

PRESSES — SLIDE HOLES FOR LOCATING THE
SHANKS — DIMENSIONS
(*First Revision*)

ICS 25.120.10

© BIS 2000

BUREAU OF INDIAN STANDARDS
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

FOREWORD

This Indian Standard (First Revision) was adopted by the Bureau of Indian Standards, after the draft finalized by the Metal-Forming Machines Sectional Committee had been approved by the Basic and Production Engineering Division Council.

This standard was first published in 1983 and has been revised to bring it in line with the present manufacturing practices. The main modifications are as follows:

- a) Nominal diameter 63 has been now designated as 65.
- b) Figure has been suitably modified to incorporate relief groove details.
- c) The title of the standard has been modified for easy understanding.

While preparing this standard, assistance has been derived from DIN 810 : 1986 'Machine tools, presses; slide holes of press tools, dimensions' issued by Deutsches Institut für Normung (DIN).

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test, shall be rounded off in accordance with IS 2 : 1960 'Rules for rounding off numerical values (*revised*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Indian Standard

PRESSES — SLIDE HOLES FOR LOCATING THE SHANKS — DIMENSIONS

(*First Revision*)

1 SCOPE

1.1 This standard lays down the dimensions for slide holes for locating the shanks.

1.2 This standard applies to solid as well as split bores.

2 REFERENCES

The following standards contain provisions which through reference in this text, constitute provisions of this standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below:

<i>IS No.</i>	<i>Title</i>
1368 : 1987	Dimensions for ends of parts with external ISO metric threads (<i>third revision</i>)
2102 (Part 1) : 1993	General tolerances: Part 1 Tolerances for linear and angular dimensions without individual tolerances indications (<i>third revision</i>)
3428 : 1981	Dimensions for relief grooves (<i>first revision</i>)

IS No.

8711 : 1978

Title

Capacities and dimensions for gap frame open back presses (inclined and non-inclined)

3 TYPES

The slide holes for locating the shanks shall be of the following two types :

- a) *Type A* — Without knockout bar
- b) *Type B* — With knockout bar

4 DIMENSIONS

The dimensions for slide holes for locating the shanks shall be given in Table 1.

5 CAPACITY

Capacity of press shall be as specified in IS 8711.

6 DESIGNATION

The slide holes for locating the shanks shall be designated by its name, type and nominal diameter, d_1 .


Example:

A slide hole with knockout bar 'Type B' having diameter $d_1 = 40$ mm shall be designated by:

Slide Hole IS 10731 – B40

Table 1 Dimensions for Slide Holes for Locating the Shanks
(Clause 4.1)

All dimensions in millimetres.



Type	d_1 H_7	d_2 \approx	d_3 Min	l Min	a	b	c
A	8	9	—	25	1	M8	12
	10	11	—	28	1	M8	12
	12	13	—	32	1	M8	12
	16	17	—	36	1	M10	20
B	20	21	—	45	1.6	M12	20
	25	26	20	50	1.6	M12	25
	32	33	25	60	1.6	M16	28
	40	41	25	75	2.0	M20	40
	50	51	32	85	2.0	M20	40
	65	66	32	105	2.0	M24	45
	80	81	32	130	2.5	M30	60

NOTES

- 1 In the case of large faced rams, fixing bolt holes are optional.
- 2 Square or hexagonal head dog point bolts with radiused end according to IS 1368 shall be used.
- 3 Dimensional deviation for untoleranced dimensions shall be of medium class according to IS 2102 (Part 1).

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 1986 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the latest issue of 'BIS Catalogue' and 'Standards: Monthly Additions'.

This Indian Standard has been developed from Doc : No. BP/PE 04 (0162).

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected

BUREAU OF INDIAN STANDARDS

Headquarters :

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002
Telephones : 323 01 31, 323 33 75, 323 94 02

Telegrams : Manaksanstha
(Common to all offices)

Regional Offices :

	Telephone
Central : Manak Bhavan, 9 Bahadur Shah Zafar Marg NEW DELHI 110 002	{ 323 76 17 323 38 41
Eastern : 1/14 C. I. T. Scheme VII M, V. I. P. Road, Kankurgachi CALCUTTA 700 054	{ 337 84 99, 337 85 61 337 86 26, 337 91 20
Northern : SCO 335-336, Sector 34-A, CHANDIGARH 160 022	{ 60 38 43 60 20 25
Southern : C. I. T. Campus, IV Cross Road, CHENNAI 600 113	{ 235 02 16, 235 04 42 235 15 19, 235 23 15
Western : Manakalaya, E9 MIDC, Marol, Andheri (East) MUMBAI 400 093	{ 832 92 95, 832 78 58 832 78 91, 832 78 92
Branches : AHMADABAD. BANGALORE. BHOPAL. BHUBANESHWAR. COIMBATORE. FARIDABAD. GHAZIABAD. GUWAHATI. HYDERABAD. JAIPUR. KANPUR. LUCKNOW. NAGPUR. PATNA. PUNE. RAJKOT. THIRUVANANTHAPURAM.	